

2022

ÜRÜN KATALOĞU
PRODUCT CATALOQUE

ELC®
ALÜMİNYUM

PROFİLDE YENİLİKÇİ FİKİRLER
INNOVATIVE IDEAS **IN PROFILE**

www.elcalu.com.tr



HAKKIMIZDA
ABOUT US

ELC ALÜMİNYUM SAN. TİC. A.Ş. 2016 yılında Kayseri Organize Sanayi Bölgesinde kurulmuş bir alüminyum ekstrüzyon tesisidir. 17.500 m² kapalı, toplamda 25.000 m² alanda 200'ün üzerinde çalışanla faaliyet göstermektedir. **ELC ALÜMİNYUM** 2 adet **6"** ve 1 adet **8"**lik toplamda üç pres ile yıllık **16.000 ton** alüminyum profil üretim hacmine sahiptir. **320.000 m²/ay** kapasiteli **Eloksal tesisi, 160.000 m²/ay** kapasiteli **Elektrostatik Toz Boya tesisi, Polisaj** ve **Satinaj** üniteleriyle 330'dan fazla firmaya ürün ve hizmet sunmaktadır. Ayrıca üretimimizde faaliyetine başladığımız **Ahşap Desen Kaplama** uygulamasıyla da hizmet vermektedir. Standart ve özel tasarım profil gereksinimlerine ek olarak; mamul ve yarı mamul ürünler belirli toleranslarla Mekanik İşlem tesisimizde işlenmektedir. **Mekanik işlem** tesisimizde tedarik zincirini kısaltarak müşterilerine maliyet avantajı sunmak üzere; kesme, çapak alma, boy tamamlama, 7 metre boya kadar 4 eksen CNC işlemleri, presleme, delme ve büküm hizmeti verilmektedir.

ELC ALÜMİNYUM SAN. TİC. A.Ş. yatırımcıları 1974 yılında **DİRSAN SOBA** firması ile ısı gereçleri alanında, 2008 yılında **KAPRİS İNŞAAT** firması ile inşaat alanında, 2010 yılında **ŞEF SU ÜRÜNLERİ** firması ile hayvancılık sektöründe, 2013 yılında **HASSAN YAPI** olarak inşaat sektöründe ve 2016 yılında da **ELC ALÜMİNYUM** olarak uzun yıllar boyunca edindiği farklı sektörlerdeki deneyim ve bilgi birikimi ile yüksek teknoloji ve imalat konusunda uzmanlaşmış bir ekiple birleştirerek her sektör alanına hitap eden alüminyum profilleri yapmaya başlamıştır. Mobilya, Doğrama, Sürme Cam, Duşakabin, Beyaz eşya, Reklam, Çelik kapı, Küpeşte, Cephe Sistem, Cam Balkon, Otomotiv, Makine, Solar Konstrüksiyon, Savunma Sanayi gibi profillerin üretimiyle 5 kıtada yüzlerce müşteri ile ürünlerini buluşturmaktadır.

Firmamızın diğer önemli bir özelliği de firmaların ihtiyacı olan endüstriyel tasarımlarını dizayn ederek ve geliştirerek firmalara destek vermesidir. Şirketimiz sadece yurt içinde değil aynı zamanda yurt dışındaki birçok firmanın danışmanlık, proje ve tedarik aşamalarına imzasını atmıştır.

Firmamız ektrüzyon ve yarı mamul üretimi için gerekli olan birçok kalite sertifikalarına sahiptir. Bunlar; **IATF 16949:2016, TS EN ISO 9001:2015, ISO 45001, ISO 14001, ISO/IEC 27001, RoHS, REACH, QUALANOD** ve **QUALİCOAT** kalite sertifikalarıdır. **ELC ALÜMİNYUM** ayrıca **MİLLİ SAVUNMA BAKANLIĞI onaylı tedarikçisi belgesi** ile yüksek kalite ve hassas üretim gerekliliklerini sağlayabildiğini ispatlamıştır.

Kuruluşundan bu yana firmamızın **AR-GE** ekipleri yenilikçi çözümler üretmek için çalışır. Sosyal sorumluluk projelerinde de yer almaktan ve yerli-milli tüm projelerin desteğini esirgemeyen bir yapıya sahibiz. ERCİYES ÜNİVERSİTESİ ELEKTRİKLİ ARAÇ PROJESİ için gerekli alüminyum profiller tarafımızdan sağlanmıştır.

Mükemmel Müşteri Memnuniyeti (MMM) ilkesini benimseyen **ELC ALÜMİNYUM**, kalifiye teknik kadrosu ile tasarım ve ürün geliştirme, ihtiyaç ve beklentilerinizi karşılamak ve aşmak için maksimum kalite ve uygulanabilirlik anlayışı ilkesi ile taleplerinize değer katar.

ELC ALUMINUM IND. TRADE. Inc. *is an aluminum extrusion facility established in Kayseri Organized Industrial Zone in 2016. Our company was established with 100% domestic capital and operates in a total area of 25.000 m² with 17.500 m² closed area with over 200 employees.* ***ELC ALUMINUM*** *has an annual production volume of* ***16.000 tons*** *of aluminum profiles with two* ***6"*** *and one* ***8"*** *presses in total. It offers products and services to more than 330 companies with its* ***Anodizing facility*** *with a capacity of* ***320,000 m²/per month, Electrostatic Powder Coating facility*** *with a capacity of* ***160,000 m²/ per month****, and Polishing and Satin Finish units. It also serves with* ***Wood Grain Sublimation Application****, which we started to operate in our production. In addition to standard and special design profile requirements, finished and semi-finished products are processed in our* ***Machining Facility*** *with certain tolerances. In order to provide a cost advantage to our customers by shortening the supply chain in our machining facility, cutting, deburring, length completion, 4-axis CNC operations up to 7 meters, pressing, punching, drilling, and bending services provided.*

ELC ALUMINUM IND. TRADE. Inc. *investors initiated their business activities in 1974 with* ***DİRSAN SOBA*** *in the field of heating equipment, in 2008 with* ***KAPRIS İNŞAAT*** *in the field of construction. After that, in 2010 with* ***ŞEF SU URUNLERI****, they entered the livestock sector followed by* ***HASSAN YAPI*** *in 2013 in the construction sector. Lastly, in 2016* ***ELC ALUMINUM*** *entered the aluminum sector and started to make aluminum profiles by combining the experience and knowledge gained in the different sectors for decades with a team specialized in advanced technology and manufacturing. ELC offers products for various sectors such as Furniture, Joinery, Sliding Glass, Shower Cabin, White Goods, Advertisement, Steel Door, Handrail, Facade Systems, Glass Balcony, Automotive, Machinery, Solar Construction, and Defense Industry and reached out to hundreds of customers in 5 continents.*

Another significant feature of our company is that it serves companies by designing and developing industrial designs. Our company has carried out consultancy, project and supply stages of various companies at home and abroad.

Our company has numerous quality certificates required for extrusion and semi-finished product production. These are ***IATF 16949:2016, TS EN ISO 9001:2015, ISO 45001, ISO 14001, ISO/IEC 27001, RoHS, REACH, QUALANOD*** *and* ***QUALICOAT*** *quality certificates.* ***ELC ALUMINUM*** *has also proven that it is able to meet high quality and sensitive production requirements with the* ***MINISTRY OF NATIONAL DEFENSE-approved supplier certificate.***

Since its establishment, our company's ***R&D*** *teams work to produce innovative solutions.*

Our company has always been willing to be a part of social responsibility projects and support all domestic and national projects. Aluminum profiles required for ERCIYES UNIVERSITY ELECTRIC VEHICLE PROJECT were provided by ELC.

Adopting the principle of ***Excellent Customer Satisfaction, ELC ALUMINUM*** *adds value to your demands with its qualified technical staff, design and product development. We meet your needs and expectations with our principle of maximum quality and applicability.*

FABRİKAMIZ
OUR FACTORY





KALIPHANE
DIE WORKSHOP



EKSTRÜZYON HATTI
EXTRUSION LINE

Kapasite:
1.450 Ton
1.450 Ton
2.550 Ton



TERMİK FIRINLAR
THERMAL FURNACES




ELEKTROSTATİK TOZ BOYA
POWDER COATER

Kapasite:
160.000 m² / ay




AHŞAP KAPLAMA
WOOD VENEER

FABRİKAMIZ
OUR FACTORY



ELOKSAL ÜNİTESİ
ANODISING UNIT

Kapasite:
320.000 m² / ay



YÜZEY IŞLEM (POLİSAJ VE SATİNE)
SURFACE TREATMENT (POLISHING AND BURSHED)





MEKANİK İŞLEM
MECHANICAL TREATMENT



KALİTE KONTROL VE LABARATUVAR
QUALITY CONTROL AND LABORATORY




PAKETLEME
PACKAGING

SERTİFİKALARIMIZ
OUR CERTIFICATES










İÇİNDEKİLER
INDEX


STANDART PROFİLLER	STANDARD PROFILES	8-15
MOBİLYA PROFİLLERİ	FURNITURE PROFILES	16-39
KÜPEŞTE PROFİLLERİ	RAILING PROFILES	40-47
DOĞRAMA VE YALITIM SISTEM PROFİLLERİ	WINDOW AND DOOR SYSTEM PROFILES WITH THERMAL BREAK AND WITHOUT THERMAL BREAK	48-93
CEPHE PROFİLLERİ	FACADE PROFILES	94-109
TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ	AWNING PERGOLA GARDEN SYSTEMS PROFILES	110-121
CAM BALKON VE SÜRME SİSTEM PROFİLLERİ	GLASS BALCONY & SLIDING SYSTEM PROFILES	122-137
DUŞAKABİN PROFİLLERİ	BATH CABINET PROFILES	138-143
PANJUR PROFİLLERİ	BLINDS PROFILES	144-147
OTOMOTİV PROFİLLERİ	AUTOMOTIVE PROFILES	148-151
BEYAZ EŞYA PROFİLLERİ	WHITE GOODS PROFILES	152-155
MAKİNE PROFİLLERİ	MACHINE PROFILES	156-161
REKLAM PROFİLLERİ	ADVERTISEMENT PROFILES	162-165
SOLAR KONSTRÜKSİYON SİSTEM PROFİLLERİ	SOLAR CONSTRUCTION SYSTEM PROFILES	166-177
ÇELİK KAPI PROFİLLERİ	STEEL DOOR PROFILES	178-183
MENFEZ PROFİLLERİ	VENT PROFILES	184-189
DİĞER PROFİLLER	OTHER PROFILES	190-203

ELC
ALÜMİNYUM

STANDART PROFİLLER
STANDARD PROFILES

www.elcalu.com.tr


› BORU PROFİL
PIPE PROFILE



Profil No	Ø (mm)	t (mm)	kg / m
3501	10	1,5	0,109
4016	12	1	0,094
2017	16	1,2	0,151
3033	16	1,3	0,163
5124	16	1,5	0,185
2040	16	2	0,238
5128	16	2,5	0,287
5123	16	3	0,332
1453	17,7	1,5	0,206
3495	18	1	0,145
2013	19	1,2	0,182
2026	20	1,5	0,236
1141	20	2	0,306
1210	20	4	0,545
1167	22	1,2	0,212
2012	22	2	0,341
4757	25	1,2	0,243
2019	25	1,8	0,356
4567	27	2,5	0,521
2045	29,5	1,9	0,446
3017	29,7	2,3	0,526
1303	30	1,2	0,295
2020	30	2,5	0,585
2021	33	4	0,988
1798	33,6	3	0,780


Profil No	Ø (mm)	t (mm)	kg / m
1730	35	1,4	0,401
5064	35	1,8	0,508
2031	35	2	0,562
2022	35	2,5	0,692
2023	40	2,5	0,798
2025	42	8,5	2,424
2018	50	1,2	0,500
2016	50	1,5	0,619
5125	50	1,8	0,739
2042	50	2	0,817
2215	50	2,5	1,011
4625	50	5	1,916
1624	52	3,5	1,444
2029	55	15	5,108
2014	57	2	0,937
4710	60	1	0,502
4565	60	2	0,988
4626	60	3	1,456
1295	60	4,8	2,255
1247	80	3	1,967
5035	90	2,5	1,862
1871	90	27,5	14,631
1698	94,7	2,5	1,962
2024	96	3	2,375
1406	100	5	4,043

› YUVARLAK ÇUBUK
ROUND BAR



Profil No	Ø (mm)	kg / m
7266	6	0,077
7443	8	0,136
7270	10	0,213
7272	11	0,258
7259	16,5	0,579
7267	20	0,851
1306	22	1,030
7519	25	1,330
7521	30	1,916
7158	35	2,607
7160	45	4,310
7268	50	5,321
7269	55	6,438
7273	81	13,965

› KARE KUTU PROFİL
SQUARE BOX PROFILE




	Profil No	a (mm)	t (mm)	r (mm)	kg / m
	1046	14	1,5		0,203
	1802	14	2		0,260
ÖZEL	2498	18	0,9		0,168
	1310	25	1	4	0,244
	2501	25	1,5		0,382
	2499	25	1,9		0,476
	2500	25	3	5	0,667
	7468	30	1,5	1	0,461
	3065	40	1,2		0,504
	7252	40	2	0,5	0,821
	7469	50	1,5	1	0,786
	4711	60	2,9		1,795
	1289	80	2		1,691
	1577	100	3	1,5	3,149
	2363	115	2,2	5	2,651

› KARE ÇUBUK PROFİLİ
PIPE PROFILE




Profil No	a (mm)	kg / m
1372	12	0,390
1031	25	1,694

› KUTU PROFİLİ
PIPE PROFILE



Profil No	a (mm)	b (mm)	t (mm)	r (mm)	kg /m
1206	17	11	1,5		0,203
3067	20	10	1,6		0,232
3521	25	17	1,2		0,258
2512	30	20	2		0,499
7525	40	20	1,1		0,345
3109	40	20	1,2		0,375
3108	40	20	2		0,607
7889	40	30	2	1	0,713
2246	40	30	3	1	1,038
5183	40,4	30,3	1,8		0,648
2526	50	20	1,2		0,440
4731	50	30	3		1,203
3169	50	40	1,2		0,570
7471	60	20	2	1	0,822
2517	60	40	4		1,995
9502	68	28	1		0,510
5129	70	28	1		0,520
2396	70	50	2,8		1,736
3111	75	32	1,1		0,626
7601	75	32	1,4		0,791
4547	80	40	1,5		0,951
3104	95	50	2		1,528


› LAMA
ROUND BAR



Profil No	a (mm)	b (mm)	r (mm)	kg / m
4764	15	2,5		0,102
2415	15	3		0,122
1895	15	4		0,163
2424	20	4		0,217
5471	20	8		0,434
2416	23	2		0,125
5070	25	3		0,203
ÖZEL 1292	30	8		0,650
1019	34	4		0,369
4698	35	2	1	0,187
7508	35	10		0,949
2401	40	5		0,542
2208	40	12		1,301
2427	45	4		0,488
2372	50	3		0,406
2402	50	5		0,678
2404	50	8		1,084

Profil No	a (mm)	b (mm)	r (mm)	kg / m
2419	50	10		1,355
1316	50,6	10	0,5	1,371
2393	59	9		1,439
2405	60	5		0,813
2406	60	6		0,976
2411	60	8		1,301
2676	64	5		0,867
2420	67,4	7,4		1,352
2423	70	7		1,328
5087	80	5		1,084
4624	80	38	6,8	8,131
2422	97,5	10		2,642
2058	120	25	0,5	8,130
2426	130	6		2,114
2428	140	7	1,5	2,650
2301	150	10	1,5	4,060
3105	175	7		3,320
1845	200	20	0,5	10,840
1846	200	25	0,5	13,550


› KÖŞEBENT
ROUND BAR



Profil No	a (mm)	b (mm)	t (mm)	kg / m
2106	15	15	1,5	0,116
2100	15	15	1,8	0,137
2125	20	20	1,2	0,126
3023	20	20	2	0,206
2127	24	15	1,5	0,152
2135	24,5	14,5	1,5	0,152
2124	25	25	1,2	0,159
2119	25	25	3	0,382
2146	30	10	1,2	0,126
1421	30	20	1,2	0,159
2123	30	30	1,2	0,191
2101	30	30	2	0,314
4693	35	30	1,1	0,190
2140	40	10	1,2	0,159
2129	40	20	1	0,160
2128	40	20	1,6	0,253
5693	40	20	1,7	0,269
2103	40	20	2	0,314
7501	40	35	5	0,948

Profil No	a (mm)	b (mm)	t (mm)	kg / m
2126	40	40	1,6	0,340
2120	40	40	2	0,423
2104	40	40	3	0,626
2113	40	40	4	0,824
2110	45	20	1,3	0,224
2392	50	50	1,5	0,400
2121	50	50	3	0,789
2114	50	50	4	1,041
2112	60	10	1,2	0,222
2139	60	20	1,2	0,256
2131	60	60	4,5	1,409
2142	65	30	5	1,220
2134	70	27	7	1,707
2122	75	75	5	1,965
2144	80	20	1,2	0,321
2620	95	65	2,2	0,940
1149	100	20	1,5	0,482
4593	120	10	1,3	0,453
1488	150	20	1,8	0,821


› U PROFİL
ROUND BAR



Profil No	a (mm)	b (mm)	t (mm)	kg / m
1750	7,9	21,8	1,1	0,146
2601	15	15	2	0,222
1339	16	10	1,6	0,141
2028	19	19,7	1,5	0,225
3060	19,2	35,8	1,6	0,379
2602	20	20	2	0,304
4695	20,8	8	1,2	0,110
4568	21,4	7,8	1,2	0,112
5233	21,4	11,8	1,2	0,138


Profil No	a (mm)	b (mm)	t (mm)	kg / m
5832	21,6	14	1,2	0,153
4579	21,6	16	1,3	0,179
4701	30	26	4	0,793
4700	40	37	3	0,873
4702	44	40	2	0,648
4699	50	30	3	0,840
2362	88,5	60,3	2,2	1,199
3145	90	20	2	0,683
2395	106	90,2	3	2,280

› SLOT PROFİL
ROUND BAR




Profil No	a (mm)	b (mm)	t (mm)	kg / m
2059	48	14	2	0,573
7444	50	20	2,5	0,779
7493	50	25	2	0,663

› SLOT ÇUBUK PROFİL
ROUND BAR




Profil No	a (mm)	b (mm)	kg / m
7257	20	8	0,396
5640	23,3	10,3	0,589
7144	69	39,3	6,450

› RADYUSLU LAMA
ROUND BAR



Profil No	a (mm)	b (mm)	r (mm)	kg / m
5062	141	5	5	1,888

› T PROFİL
ROUND BAR



Profil No	a (mm)	b (mm)	t (mm)	kg / m
4765	15	29,5	1	0,118
4766	15	39,5	1	0,143
2307	20	50	1,6	0,297
2302	25	25	1,1	0,146
2303	30	30	1,1	0,175
2305	30	40	1,5	0,278


ELC ALÜMİNYUM

MOBİLYA PROFİLLERİ


MOBİLYA PROFİLLERİ

FURNITURE PROFILES


www.elcalu.com.tr




4336 0,547 Kg/m




5234 0,447 Kg/m




5245 0,679 Kg/m




5247 0,710 Kg/m




4619 0,712 Kg/m




5195 0,742 Kg/m




5419 0,678 Kg/m




5682 0,770 Kg/m




5633 0,609 Kg/m




5844 0,641 Kg/m




5235 0,354 Kg/m




5905 0,417 Kg/m




1362 0,756 Kg/m




1195 0,401 Kg/m



1723 0,751 Kg/m




1807 0,726 Kg/m




1885 0,678 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




5242 0,561 Kg/m




5681 0,550 Kg/m




5019 0,067 Kg/m




5260 0,068 Kg/m




5239 0,056 Kg/m



5261 0,075 Kg/m




5329 0,076 Kg/m




4620 0,201 Kg/m




4618 0,211 Kg/m




5236 0,188 Kg/m




5237 0,200 Kg/m




5651 0,230 Kg/m




5650 0,216 Kg/m




4003 0,238 Kg/m




4740 0,298 Kg/m




4669 0,204 Kg/m




1197 0,245 Kg/m




1194 0,292 Kg/m




1155 0,264 Kg/m




5642 0,289 Kg/m




5331 0,487 Kg/m




5142 0,523 Kg/m




2170 0,407 Kg/m




4665 0,439 Kg/m




4719 0,525 Kg/m




4313 0,460 Kg/m




1193 0,485 Kg/m




1196 0,455 Kg/m




1034 0,378 Kg/m




1039 0,402 Kg/m




1684 0,339 Kg/m




4668 0,561 Kg/m




4667 0,245 Kg/m




4666 0,288 Kg/m




1026 0,420 Kg/m




1191 0,268 Kg/m




1192 0,325 Kg/m




4004 0,298 Kg/m




5249 0,335 Kg/m




4664 0,276 Kg/m




4585 0,358 Kg/m




5527 0,360 Kg/m




4767 0,447 Kg/m



4768 0,220 Kg/m




4769 0,235 Kg/m




5230 0,309 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




5628 0,242 Kg/m




4663 0,342 Kg/m




5906 0,352 Kg/m




5645 0,285 Kg/m




5232 0,221 Kg/m




5252 0,243 Kg/m




1712 0,556 Kg/m




1711 0,504 Kg/m




1321 0,209 Kg/m



1154 0,312 Kg/m




5689 0,211 Kg/m




5830 0,279 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




5332 0,647 Kg/m




5692 0,485 Kg/m




5333 0,473 Kg/m




5253 0,295 Kg/m




4594 0,363 Kg/m




1128 0,333 Kg/m




5694 0,292 Kg/m




4670 0,471 Kg/m




1768 0,352 Kg/m




1634 0,369 Kg/m




1290 0,306 Kg/m




7285 0,264 Kg/m




5330 0,336 Kg/m




1360 0,298 Kg/m




5028 0,164 Kg/m




5250 0,195 Kg/m




4571 0,206 Kg/m




1320 0,144 Kg/m



1405 0,130 Kg/m




1153 0,158 Kg/m




7286 0,362 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




5055 0,236 Kg/m




5231 0,095 Kg/m




5167 0,797 Kg/m




5110 0,307 Kg/m




5257 0,167 Kg/m




5632 0,160 Kg/m




5018 0,170 Kg/m




4555 0,272 Kg/m



1398 0,249 Kg/m




5174 0,304 Kg/m




5254 0,372 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




1480 0,396 Kg/m




6290 0,565 Kg/m




4737 0,426 Kg/m




5643 0,389 Kg/m




3700 0,506 Kg/m




3701 0,514 Kg/m




4738 0,451 Kg/m




1766 0,396 Kg/m




1767 0,447 Kg/m



5243 0,269 Kg/m




7250 0,312 Kg/m




2027 0,358 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES



4704 0,402 Kg/m




4705 0,416 Kg/m




1765 0,339 Kg/m




1531 0,325 Kg/m




2037 0,705 Kg/m




2161 0,279 Kg/m




1808 0,331 Kg/m




7193 0,542 Kg/m




7407 0,409 Kg/m




2293 0,431 Kg/m




1050 0,343 Kg/m




1051 0,431 Kg/m




1060 0,364 Kg/m



1052 0,334 Kg/m




1053 0,287 Kg/m




1054 0,566 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




7441 1,396 Kg/m




5107 0,708 Kg/m




5172 0,409 Kg/m




5173 0,370 Kg/m




5108 1,164 Kg/m




7322 2,622 Kg/m




6040 1,829 Kg/m




5258 0,184 Kg/m




5901 0,073 Kg/m




5502 0,210 Kg/m




5649 0,112 Kg/m




5653 0,133 Kg/m




4794 0,084 Kg/m




5638 0,361 Kg/m




5685 1,049 Kg/m




5683 0,291 Kg/m




1055 0,430 Kg/m




5213 0,500 Kg/m




1056 0,491 Kg/m




5647 0,565 Kg/m



5684 0,413 Kg/m




7256 0,900 Kg/m




1892 0,745 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




4469 0,246 Kg/m




4487 0,285 Kg/m




4572 0,315 Kg/m




5500 0,425 Kg/m




5475 0,536 Kg/m




5476 0,715 Kg/m




7392 0,450 Kg/m




4497 0,160 Kg/m




4011 0,119 Kg/m




7196 0,496 Kg/m




5248 0,166 Kg/m




7516 0,262 Kg/m




5908 0,147 Kg/m



4521 0,170 Kg/m




5641 0,218 Kg/m




4010 0,104 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




4602 0,112 Kg/m




1028 0,118 Kg/m




5652 0,177 Kg/m




5259 0,209 Kg/m




5256 0,145 Kg/m




5251 0,183 Kg/m




1209 0,466 Kg/m




1208 0,260 Kg/m




6289 0,637 Kg/m




1157 0,445 Kg/m




1156 0,311 Kg/m




1058 0,341 Kg/m



1057 0,258 Kg/m




5724 0,912 Kg/m




1499 2,073 Kg/m


MOBİLYA PROFİLLERİ
FURNITURE PROFILES




5099 0,519 Kg/m




1036 0,446 Kg/m




1152 0,406 Kg/m



1151 0,444 Kg/m



4344 0,448 Kg/m




7171 0,840 Kg/m

ELC ALÜMİNYUM


KÜPEŞTE PROFİLLERİ

RAILING PROFILES


www.elcalu.com.tr




1092 0,773 Kg/m




5356 0,611 Kg/m




5121 0,774 Kg/m




5120 0,803 Kg/m




4612 0,711 Kg/m



5127 1,112 Kg/m




5122 0,062 Kg/m




5405 0,073 Kg/m


KÜPEŞTE PROFİLLERİ
RAILING PROFILES




1295 2,255 Kg/m




5317 2,711 Kg/m




4408 2,033 Kg/m




5322 2,465 Kg/m




5130 1,000 Kg/m




5162 1,224 Kg/m




1418 2,444 Kg/m




1190 2,951 Kg/m




5132 1,112 Kg/m




5312 2,145 Kg/m




2153 1,247 Kg/m




2152 1,108 Kg/m




1293 1,951 Kg/m




1294 2,415 Kg/m




4409 2,506 Kg/m




3168 0,791 Kg/m




7024 1,172 Kg/m



1612 0,607 Kg/m




7072 0,851 Kg/m




7073 0,798 Kg/m


KÜPEŞTE PROFİLLERİ
RAILING PROFILES




2255 1,396 Kg/m




2254 2,545 Kg/m




4407 2,067 Kg/m




4405 0,746 Kg/m



7025 0,294 Kg/m




2256 0,314 Kg/m




1894 0,778 Kg/m


KÜPEŞTE PROFİLLERİ
RAILING PROFILES




1040 0,896 Kg/m




1041 0,729 Kg/m




2323 0,706 Kg/m




1044 0,943 Kg/m



1045 0,728Kg/m




1042 0,847 Kg/m




1801 1,008 Kg/m


KÜPEŞTE PROFİLLERİ
RAILING PROFILES




1207 0,753 Kg/m




2289 0,612 Kg/m






1047 0,069 Kg/m


1048 0,070 Kg/m




1043 0,391 Kg/m




1029 0,257 Kg/m



1206 0,203 Kg/m



1802 0,260 Kg/m



1046 0,203 Kg/m






DOĞRAMA VE YALITIM SİSTEM PROFİLLERİ


WINDOW AND DOOR SYSTEM PROFILES WITH THERMAL BREAK AND WITHOUT THERMAL BREAK

www.elcalu.com.tr


DOĞRAMA & YALITIM SİSTEM




9003 0,503 Kg/m




9006 0,601 Kg/m




4788 0,796 Kg/m




9007 0,932 Kg/m




4789 1,064 Kg/m




9011 1,159 Kg/m




4792 1,323 Kg/m




9001 0,603 Kg/m




9004 0,711 Kg/m




4786 0,934 Kg/m




9008 1,059 Kg/m




4790 1,206 Kg/m




9010 1,257 Kg/m




9002 0,603 Kg/m




9005 0,711 Kg/m




4787 0,934 Kg/m




9009 1,059 Kg/m



4791 1,206 Kg/m




5119 1,375 Kg/m




3470 0,912 Kg/m


ALDOKS PROFİLLERİ
ALDOX PROFILES




9013 0,727 Kg/m




9012 0,759 Kg/m




9025 1,380 Kg/m




7065 0,228 Kg/m



9016 0,555 Kg/m




9017 0,325 Kg/m




3458 0,461 Kg/m


ALDOKS PROFİLLERİ
ALDOX PROFILES




4623 1,085 Kg/m




3303 1,544 Kg/m



3182 1,563 Kg/m




9020 1,072 Kg/m




9019 0,585 Kg/m


ALDOKS PROFİLLERİ
ALDOX PROFILES




9022 0,212 Kg/m




9021 0,212 Kg/m




3368 0,250 Kg/m




9023 0,210 Kg/m




9014 0,210 Kg/m




9018 0,169 Kg/m



9024 0,237 Kg/m




9015 0,237 Kg/m




3312 0,252 Kg/m


C60 PROFİLLERİ
C60 PROFILES




2671 0,883 Kg/m



9102 0,984 Kg/m




9106 1,010 Kg/m




9101 0,727 Kg/m


C60 PROFİLLERİ
C60 PROFILES



1756 1,669 Kg/m




9104 1,528 Kg/m




9103 1,413 Kg/m


C60 PROFİLLERİ
C60 PROFILES




1109 0,241 Kg/m




9109 0,241 Kg/m




1110 0,235 Kg/m




9110 0,235 Kg/m




9113 0,218 Kg/m




1429 0,271 Kg/m



1108 0,336 Kg/m




9118 0,217 Kg/m




1748 0,203 Kg/m


C60 PROFİLLERİ
C60 PROFILES




1747 0,398 Kg/m




9108 0,401 Kg/m



9105 1,016 Kg/m




1746 0,889 Kg/m




9116 0,090 Kg/m


C60 PROFİLLERİ
C60 PROFILES




9114 1,638 Kg/m




9119 0,316 Kg/m




9107 1,815 Kg/m




1750 0,146 Kg/m




2265 0,222 Kg/m




1749 0,282 Kg/m




3388 0,464 Kg/m




3392 1,286 Kg/m




3390 0,681 Kg/m



3391 0,983 Kg/m




3380 0,852 Kg/m




3382 1,210 Kg/m


ELC SİSTEMLERİ PROFİLLERİ
ELC SYSTEMS PROFILES




3384 1,483 Kg/m




3381 0,834 Kg/m



3383 1,205 Kg/m




3385 1,478 Kg/m




3386 1,877 Kg/m


ELC SİSTEMLERİ PROFİLLERİ
ELC SYSTEMS PROFILES




3544 0,919 Kg/m




3542 1,266 Kg/m




3543 1,418 Kg/m




3549 1,077 Kg/m




3536 1,683 Kg/m



3540 1,255 Kg/m




3534 1,528 Kg/m




3539 1,869 Kg/m


ELC SİSTEMLERİ PROFİLLERİ
ELC SYSTEMS PROFILES




3530 1,025 Kg/m




3532 1,313 Kg/m




3580 0,812 Kg/m




3336 1,888 Kg/m




3548 1,234 Kg/m




3339 1,081 Kg/m




3341 1,362 Kg/m




3342 1,613 Kg/m




3334 1,742 Kg/m




3332 1,408 Kg/m




3330 1,278 Kg/m




3541 1,417 Kg/m




3537 1,678 Kg/m




3331 1,375 Kg/m




3333 1,531 Kg/m




3337 2,050 Kg/m




3335 1,944 Kg/m




3563 0,257 Kg/m




1442 0,309 Kg/m




3584 0,288 Kg/m




3302 1,866 Kg/m



3307 5,009 Kg/m





3308 4,337 Kg/m



3309 4,780 Kg/m

MENTEŞELER
HINGES





BAĞLANTI PROFİLLERİ
CONNECTION PROFILE

› ORTA BİNİ FİTİLİ
MIDDLE GASKET



Ürün Kodu	kg / mt
ELCF 01	0,172



Ürün Kodu	kg / mt
ELCF 02	0,126

› CAM FİTİLİ
GLAZING GASKET

Ürün Kodu	kg / mt
ELCF 04	0,043



Ürün Kodu	kg / mt
ELCF 05	0,066





› KASA FİTİLİ
FRAME GASKET




Ürün Kodu	kg / mt
ELCF 03	0,033

U PROFİL
U PROFILE






CAM ÇITASI
GLAZING BEAD




Profil No	kg / mt
2347	0,282

TİJ PROFİL
PUSH ROD PROFILE




Profil No	kg / mt
2613	0,122

KASA PROFİLLERİ
FRAME PROFILE




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 01	1,16	14,46	8,74




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 07	1,4	18,10	10,24

ORTA KAYIT PROFİLLERİ / 1,5
MULLION PROFILE




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 03	1,34	16,84	13,87




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 05	1,68	22,04	34,96

ORTA KAYIT PROFİLLERİ / 1,8
MULLION PROFILE




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 09	1,60	20,43	15,54




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 11	1,98	26,37	38,71


KANAT PROFİLLERİ / 1,5
SASH PROFILE



Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 02	1,37	22,66	11,64




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 04	1,96	34,50	52,12




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 06	1,45	24,19	11,91

ELCT 55 ISI YALITIM SERİSİ PROFİLLERİ
ELCT 55 THERMAL İNSULATION SERIES PROFILES


KANAT PROFİLLERİ / 1,8
SASH PROFILE



Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 08	1,57	26,74	12,49





Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 10	2,25	39,87	57,43




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
55 ELCT 12	1,63	27,69	12,56

MONTAJ / 1,5
ASSEMBLY










ELCT 55 ISI YALITIM SERİSİ PROFİLLERİ
ELCT 55 THERMAL İNSULATION SERIES PROFILES


MONTAJ / 1,5
ASSEMBLY










MONTAJ / 1,5
ASSEMBLY








KASA PROFİLLERİ
FRAME PROFILE




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 01	1,25	24,67	9,77




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 07	1,53	30,73	11,31

ORTA KAYIT PROFİLLERİ / 1,5
MULLION PROFILE




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 03	1,43	28,67	14,87




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 05	1,77	37,01	38,29

ORTA KAYIT PROFİLLERİ / 1,8
MULLION PROFILE




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 09	1,69	34,61	16,56




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 11	2,07	42,99	35,96


KANAT PROFİLLERİ / 1,5
SASH PROFILE



Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 02	1,46	36,26	13,46




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 04	2,05	54,10	62,99




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 06	1,53	38,65	13,70


KANAT PROFİLLERİ / 1,8
SASH PROFILE



Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 08	1,66	42,78	14,53





Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 10	2,33	62,40	68,28




Profil No	kg / mt	Jx cm⁴	Jy cm⁴
70 ELCT 12	1,71	44,37	14,54

MONTAJ / 1,8
ASSEMBLY












ELCT 70 ISI YALITIM SERİSİ PROFİLLERİ
ELCT 70 THERMAL İNSULATION SERIES PROFILES

MONTAJ / 1,8
ASSEMBLY












MONTAJ / 1,8
ASSEMBLY









ELCT 70 ISI YALITIM SERİSİ PROFİLLERİ
ELCT 70 THERMAL İNSULATION SERIES PROFILES


KÖŞE TAKOZ PROFİLLERİ
CONNER WEDGE PROFILE




Profil No	kg / mt
2345	6,086




Profil No	kg / mt
2580	6,082



Profil No	kg / mt
2346	3,054



Profil No	kg / mt
2860	2,713




Profil No	kg / mt
2581	3,0




ELC
ALÜMİNYUM

CEPHE PROFİLLERİ
FACADE PROFILES


www.elcalu.com.tr




1500 1,569 Kg/m



2700 1,388 Kg/m




1501 1,862 Kg/m




2701 1,680 Kg/m


CEPHE PROFİLLERİ
FACADE PROFILES




1502 2,057 Kg/m



2702 1,875 Kg/m




1503 2,252 Kg/m




2703 2,070 Kg/m


CEPHE PROFİLLERİ
FACADE PROFILES




2895 2,545 Kg/m



2896 2,363 Kg/m




2897 3,032 Kg/m




2898 2,851 Kg/m


CEPHE PROFİLLERİ
FACADE PROFILES




1566 1,770 Kg/m




1565 4,417 Kg/m




4101 3,215 Kg/m




2894 1,463 Kg/m




4136 0,753 Kg/m




4098 0,276 Kg/m




1560 1,488 Kg/m




2892 1,016 Kg/m




2893 0,694 Kg/m




1532 0,295 Kg/m




1531 0,325 Kg/m




2891 0,282 Kg/m




2890 0,095 Kg/m





KAPAKLI CEPHE PROFİLLERİ
CAPPED FACADE PROFILES






SİLİKON CEPHE PROFİLLERİ
SİLİCON FACADE PROFILES







1814 0,469 Kg/m




1815 0,558 Kg/m




1816 0,163 Kg/m




1817 0,119 Kg/m




1818 0,100 Kg/m




2356 0,428 Kg/m




2352 0,837 Kg/m




2354 1,389 Kg/m



2355 0,801 Kg/m






TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ


AWNING PERGOLA GARDEN SYSTEMS PROFILES

www.elcalu.com.tr


TENTE PERGOLA
BAHÇE SİST.




2562 1,312 Kg/m




2561 1,165 Kg/m



2563 0,249 Kg/m





2564 0,190 Kg/m





2565 0,252 Kg/m

TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ
AWNING PERGOLA GARDEN SYSTEMS PROFILES












2568 1,455 Kg/m




2567 0,469 Kg/m




2566 0,333 Kg/m



2569 0,301 Kg/m





2540 0,110 Kg/m




2541 1,770 Kg/m

TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ
AWNING PERGOLA GARDEN SYSTEMS PROFILES









TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ


AWNING PERGOLA GARDEN SYSTEMS PROFILES




2361 6,450 Kg/m



2364 0,749 Kg/m




2363 2,651 Kg/m




2362 1,199 Kg/m

TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ


AWNING PERGOLA GARDEN SYSTEMS PROFILES




2369 2,321 Kg/m




2370 2,675 Kg/m




2365 1,702 Kg/m



2367 0,698 Kg/m





2368 0,748 Kg/m



2366 2,803 Kg/m


TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ
AWNING PERGOLA GARDEN SYSTEMS PROFILES





TENTE PERGOLA BAHÇE SİSTEMLERİ PROFİLLERİ

AWNING PERGOLA GARDEN SYSTEMS PROFILES



NOT

NOTE


ELC
ALÜMİNYUM

CAM BALKON VE SÜRME SİSTEM PROFİLLERİ


GLASS BALCONY & SLIDING SYSTEM PROFILES

www.elcalu.com.tr


CAM BALKON
SÜRME SİST.




1881 1,463 Kg/m




1880 1,401 Kg/m




2038 1,415 Kg/m



1811 0,886 Kg/m




1810 1,417 Kg/m




1809 1,350 Kg/m


CAM BALKON VE SÜRME SİSTEM PROFİLLERİ
GLASS BALCONY & SLIDING SYSTEM PROFILES




1018 1,501 Kg/m




1017 1,575 Kg/m




1130 0,959 Kg/m




2753 1,290 Kg/m




2752 0,875 Kg/m




1469 1,274 Kg/m




1376 1,214 Kg/m




1377 0,748 Kg/m



4546 0,918 Kg/m




2322 1,570 Kg/m




2321 1,510 Kg/m


CAM BALKON VE SÜRME SİSTEM PROFİLLERİ
GLASS BALCONY & SLIDING SYSTEM PROFILES




2297 1,398 Kg/m



1120 1,343 Kg/m




5710 0,846 Kg/m




1683 1,317 Kg/m




1682 0,856 Kg/m




1064 1,452 Kg/m




1063 0,934 Kg/m




2222 0,897 Kg/m




2223 1,648 Kg/m




2224 1,073 Kg/m



2225 0,469 Kg/m




2227 0,230 Kg/m




2226 0,699 Kg/m


CAM BALKON VE SÜRME SİSTEM PROFİLLERİ
GLASS BALCONY & SLIDING SYSTEM PROFILES




1062 1,500 Kg/m




1186 1,172 Kg/m




5706 1,108 Kg/m




4732 0,829 Kg/m



5705 0,503 Kg/m




4638 0,665 Kg/m




1199 0,645 Kg/m


4724 0,395 Kg/m




1131 0,507 Kg/m




4691 0,343 Kg/m




4548 0,422 Kg/m




5708 0,512 Kg/m




1463 0,534 Kg/m




4692 0,333 Kg/m




1113 0,168 Kg/m




1114 0,252 Kg/m




2002 0,217 Kg/m




1713 0,154 Kg/m




1714 0,233 Kg/m




1475 0,276 Kg/m




1474 0,274 Kg/m




2000 0,182 Kg/m




2001 0,230 Kg/m




1091 0,173 Kg/m




4583 0,163 Kg/m




4584 0,238 Kg/m




4582 0,160 Kg/m




4581 0,090 Kg/m



1165 1,653 Kg/m




1163 1,542 Kg/m




1498 1,425 Kg/m


SÜRME CAM SERİSİ PROFİLLERİ
SLIDING GLASS SERIES PROFILES




2117 0,875 Kg/m




2521 0,864 Kg/m




2523 0,461 Kg/m



2522 0,344 Kg/m




1162 0,553 Kg/m




1899 0,764 Kg/m


SÜRME CAM SERİSİ PROFİLLERİ
SLIDING GLASS SERIES PROFILES




1898 0,260 Kg/m




2011 0,564 Kg/m




1164 1,192 Kg/m



1161 0,203 Kg/m




1897 0,136 Kg/m




1166 0,187 Kg/m


TUBA SERİSİ PROFİLLERİ
TUBA SERIES PROFILES




1435 1,220 Kg/m



1436 1,141 Kg/m




1437 0,358 Kg/m




1438 0,233 Kg/m


TUBA SERİSİ PROFİLLERİ
TUBA SERIES PROFILES




3611 0,733 Kg/m




3621 1,344 Kg/m




3643 1,090 Kg/m




3605 0,203 Kg/m




3623 0,494 Kg/m



3614 0,285 Kg/m



3622 1,365 Kg/m




3612 0,805 Kg/m

NOT
NOTE


ELC
ALÜMİNYUM

DUŞAKABİN PROFİLLERİ
BATH CABINET PROFILES


www.elcalu.com.tr




1651 0,238 Kg/m




1652 0,252 Kg/m




1653 0,209 Kg/m




1654 0,450 Kg/m




1655 0,276 Kg/m




1656 0,322 Kg/m



1657 0,249 Kg/m




1658 0,417 Kg/m




1659 0,404 Kg/m


DUŞAKABİN PROFİLLERİ
BATH CABINET PROFILES




1660 0,352 Kg/m




1661 0,423 Kg/m



1662 0,295 Kg/m




1663 0,443 Kg/m




1664 0,129 Kg/m


DUŞAKABİN PROFİLLERİ
BATH CABINET PROFILES




1466 0,661 Kg/m



2154 0,588 Kg/m



2156 0,390 Kg/m



2155 0,274 Kg/m


NOT
NOTE

ELC
ALÜMİNYUM


PANJUR PROFİLLERİ
BLINDS PROFILES

www.elcalu.com.tr


PANJUR PROFİLLERİ
BLINDS PROFILES




1027 0,251 Kg/m




1117 0,201 Kg/m




3138 0,332 Kg/m




4461 0,330 Kg/m




4457 0,720 Kg/m



4456 0,458 Kg/m



3421 0,537 Kg/m



1013 0,416 Kg/m

NOT
NOTE




ELC ALÜMİNYUM


OTOMOTİV PROFİLLERİ
AUTOMOTIVE PROFILES

www.elcalu.com.tr


OTOMOTİV PROFİLLERİ
AUTOMOTIVE PROFILES




4647 1,595 Kg/m




7291 0,215 Kg/m




1049 1,282 Kg/m




7290 0,139 Kg/m




1174 0,995 Kg/m



4770 0,103 Kg/m



2239 0,913 Kg/m



7033 0,490 Kg/m


NOT
NOTE




ELC ALÜMİNYUM

BEYAZ EŞYA PROFİLLERİ
WHITE GOODS PROFILES


www.elcalu.com.tr




5015 0,475 Kg/m




5014 0,479 Kg/m




1084 0,480 Kg/m




1648 0,322 Kg/m




1752 0,512 Kg/m




1753 0,507 Kg/m




5016 0,346 Kg/m




5577 0,356 Kg/m




4748 0,273 Kg/m




1649 0,293 Kg/m




1647 0,266 Kg/m




1650 0,149 Kg/m




5141 0,198 Kg/m




5140 0,332 Kg/m




5029 0,112 Kg/m




4785 0,250 Kg/m




4802 0,306 Kg/m




1886 0,217 Kg/m




2276 0,247 Kg/m




4636 0,146 Kg/m




1159 0,157 Kg/m



5578 0,275 Kg/m




5020 0,175 Kg/m




1725 0,127 Kg/m

MAKİNE PROFİLLERİ
MACHINE PROFILES


www.elcalu.com.tr




2056 0,886 Kg/m




1707 0,802 Kg/m




8122 1,053 Kg/m




2261 1,073 Kg/m




1710 1,439 Kg/m




1708 1,593 Kg/m




1181 2,612 Kg/m




7334 2,445 Kg/m




1889 0,382 Kg/m




2806 5,859 Kg/m




2807 2,412 Kg/m




2808 6,257 Kg/m




2809 4,816 Kg/m




2262 1,791 Kg/m




1709 2,388 Kg/m



7335 4,453 Kg/m




7489 4,331 Kg/m




7372 0,554 Kg/m


MAKİNE PROFİLLERİ
MACHINE PROFILES




4283 2,820 Kg/m




5993 3,742 Kg/m




1037 1,200 Kg/m



1702 1,133 Kg/m




5116 0,275 Kg/m




7097 0,770 Kg/m

REKLAM PROFİLLERİ
ADVERTISEMENT PROFILES


www.elcalu.com.tr




2273 1,203 Kg/m




7100 0,640 Kg/m




7099 0,571 Kg/m




7098 0,571 Kg/m




7101 0,761 Kg/m



7386 1,015 Kg/m



5040 0,274 Kg/m




1116 1,029 Kg/m


SOLAR KONSTRÜKSİYON SİSTEM PROFİLLERİ

SOLAR CONSTRUCTION SYSTEM PROFILES

www.elcalu.com.tr




4772 2,286 Kg/m




4774 1,634 Kg/m


SOLAR KONSTRÜKSİYON SİSTEM PROFİLLERİ
SOLAR CONSTRUCTION SYSTEM PROFILES




6105 2,808 Kg/m



6100 2,266 Kg/m




4775 5,271 Kg/m




4776 3,950 Kg/m


SOLAR KONSTRÜKSİYON SİSTEM PROFİLLERİ
SOLAR CONSTRUCTION SYSTEM PROFILES




4773 1,439 Kg/m




6116 1,098 Kg/m




1373 2,301 Kg/m




1374 1,447 Kg/m




1296 1,951 Kg/m




1297 1,626 Kg/m




4777 0,511 Kg/m




1020 1,130 Kg/m




1022 0,314 Kg/m



1025 0,417 Kg/m




1021 0,669 Kg/m




2560 1,139 Kg/m


SOLAR KONSTRÜKSİYON SİSTEM PROFİLLERİ
SOLAR CONSTRUCTION SYSTEM PROFILES




8035 2,030 Kg/m




4778 0,421 Kg/m




1361 1,171 Kg/m




1375 0,501 Kg/m




1024 0,489 Kg/m




1464 0,477 Kg/m




8028 0,456 Kg/m




2269 0,602 Kg/m



1102 0,528 Kg/m




6103 0,526 Kg/m




6104 0,791 Kg/m


SOLAR KONSTRÜKSİYON SİSTEM PROFİLLERİ
SOLAR CONSTRUCTION SYSTEM PROFILES




5795 0,696 Kg/m




1101 0,672 Kg/m




2268 0,650 Kg/m




1329 0,518 Kg/m




1023 0,398 Kg/m



1331 0,585 Kg/m



1330 0,572 Kg/m




1608 0,558 Kg/m

ELC
ALÜMİNYUM


ÇELİK KAPI PROFİLLERİ

STEEL DOOR PROFILES


www.elcalu.com.tr




4446 0,775 Kg/m ÖZEL



4448 0,892 Kg/m




4654 0,618 Kg/m




4278 0,970 Kg/m ÖZEL


ÇELİK KAPI PROFİLLERİ
STEEL DOOR PROFILES




1628 0,629 Kg/m




1629 0,932 Kg/m




1630 0,588 Kg/m




5025 1,090 Kg/m




4450 0,528 Kg/m




5027 0,793 Kg/m



5026 0,598 Kg/m





5024 1,779 Kg/m



4646 0,254 Kg/m

ÇELİK KAPI PROFİLLERİ
STEEL DOOR PROFILES









MENFEZ PROFİLLERİ
VENT PROFILES


www.elcalu.com.tr




ÖZEL 1342 0,225 Kg/m




ÖZEL 1345 0,347 Kg/m




ÖZEL 1343 0,271 Kg/m




ÖZEL 1344 0,206 Kg/m




ÖZEL 1339 0,141 Kg/m




ÖZEL 1340 0,214 Kg/m




ÖZEL 1346 0,279 Kg/m




ÖZEL 1347 0,312 Kg/m



ÖZEL 1348 1,482 Kg/m




ÖZEL 1349 2,135 Kg/m




ÖZEL 1350 2,764 Kg/m


MENFEZ PROFİLLERİ
VENT PROFILES



ÖZEL 1351 3,450 Kg/m



ÖZEL 1352 0,276 Kg/m




ÖZEL 1341 0,252 Kg/m

NOT
NOTE




DİĞER PROFİLLER
OTHER PROFILES


www.elcalu.com.tr




1033 0,170 Kg/m




1035 0,254 Kg/m




4752 0,300 Kg/m




4753 0,294 Kg/m




3425 1,922 Kg/m




3440 0,670 Kg/m




3418 0,477 Kg/m




5262 2,435 Kg/m




5263 2,546 Kg/m




5264 2,531 Kg/m




5265 2,643 Kg/m




4729 2,005 Kg/m



7629 0,670 Kg/m



3460 0,622 Kg/m




3462 0,786 Kg/m

DİĞER PROFİLLER
OTHER PROFILES




5106 0,908 Kg/m




5459 0,633 Kg/m


5463 0,854 Kg/m




5464 0,957 Kg/m




5465 0,474 Kg/m




ÖZEL 1301 0,688 Kg/m




ÖZEL 1313 0,379 Kg/m




ÖZEL 3252 0,328 Kg/m






3455 0,493 Kg/m




3456 0,492 Kg/m

3145 0,683 Kg/m



7142 1,217 Kg/m


DİĞER PROFİLLER
OTHER PROFILES




5409 0,154 Kg/m




7194 0,097 Kg/m



3467 0,221 Kg/m




7283 0,110 Kg/m




8528 0,210 Kg/m




7339 0,343 Kg/m




5075 0,279 Kg/m




3419 0,375 Kg/m





4495 0,448 Kg/m




3514 0,648 Kg/m














DİĞER PROFİLLER
OTHER PROFILES
































2111 5,005 Kg/m



2046 3,114 Kg/m




2043 4,444 Kg/m




7245 0,894 Kg/m


DİĞER PROFİLLER
OTHER PROFILES




7040 7,385 Kg/m




7049 0,976 Kg/m




7086 1,423 Kg/m




7063 3,106 Kg/m




4051 1,585 Kg/m




3070 1,477 Kg/m




4001 0,386 Kg/m




5512 1,588 Kg/m




5511 1,832 Kg/m




1741 9,976 Kg/m



7355 2,270 Kg/m



1742 11,393 Kg/m



5510 3,878 Kg/m

design by Emin Memmedov

ELC ALÜMİNYUM

www.elcalu.com.tr

Adres: O.S.B 19 Cadde No:1 Melikgazi / KAYSERİ

Tel: (+90) 352 503 33 50 (+90) 352 235 44 44 (+90) 352 333 13 50–51–52–53

Fax: (+90) 352 503 33 51

Mail: info@elcalu.com.tr

Elc Aluminyum